## **Quick Start User Guide**





# **EA15**

Thank you for purchasing the Entel earpiece microphone. With care, this product should provide years of trouble free use.

#### **FITTING**

Carefully press the ear-bud into the opening of your ear canal, so it is comfortable and secure. Train the clear transparent acoustic tube around the back of the ear. The combination microphone/PTT button should be attached around the lapel area about 10cm from your mouth.

#### **OPERATING INSTRUCTIONS**

- Press the PTT button to transmit and release to receive.
- Speak normally, do not shout directly into the microphone.

#### **IMPORTANT**

Always switch the radio off before attaching an audio accessory. Models that are certified to ATEX & IECEx have been clearly labelled. Should, in the course of use, any labels be removed or become illegible please return the accessory to Entel for relabelling.


#### **SPECIFICATIONS**

### EARPIECE MICROPHONE

Mic. element Electret condenser
Speaker impedance 16 ohm
Output sound level pressure <85 dBA
Weight 53g

Only use Entel original accessories, use of non-approved 3rd party accessories will invalidate your intrinsically safe approval.

#### ACOUSTIC TUBE EARPIECE









Above approvals apply to specific models only

Model	Series	Intrinsically safe cert. no.	Approval
EA15/950	HT500 HT800, HT900	IECEx SIR 10.0097X Sira 10ATEX2066X	IECEx ATEX
EA15/750	HT700	None	None
EA15/DX	DX-IS	SUW-CERT220100006	UL 913, 5th Ed
EA15/DX	DX, DN	None	None





## Contact

For more information about our products please contact us:





info@entel.co.uk



 $\ \ \ \ \square \ \ entel.co.uk$ 

